

## LENTEK L-750 Latex/Nitrile Blend Disposable Gloves

You need an industrial strength disposable glove that protects your worker's hands. Our high quality L-750 Latex/Nitrile Blend Disposable Gloves from LENTEK carry a host of impressive features and benefits:

- 7.5 mil thickness provides industrial strength super thick super strong protection
- L-750 gloves are chemical resistant and puncture resistant
- Our gloves are powder-free using a polymer coating for easier donning
- Designed for comfort and dexterity
- Gloves are ambidextrous
- Not for medical use

### Ideal for a variety of work environments:

- Construction
- HVAC/Plumbing Contractors
- Electricians
- Automotive
- Warehousing
- Aerospace
- Appliance Manufacturing
- Sorting & Assembly
- General Industry & Material Handling
- Oil & Gas
- Janitorial
- Transportation
- Mining





**TECHNICAL DATA SHEET**  
**L-750 Blue Latex/Nitrile Blend Powder-Free Gloves**  
**Meets ASTM D412**

PRODUCT SPECIFICATIONS	
Product Name	L-750 7.5 Mil Blue Latex/Nitrile Blend
Material	Latex/Nitrile Blend
Product Size Range	S-XXL
PRODUCT DETAILS	
Style/Description	7.5 Mil Blue Latex/Nitrile Blend-Beaded Cuff
Exterior Color	Blue
Exterior Finish	Polymer Coated
Lining	N/A
Cuff Finish	Beaded Cuff
Remark	Processed to minimize powder
Confidential : Properties of Bakner; not to be shared or distributed without permission of Bakner	

MEASUREMENT AND SPECIFICATION						
Size	Part Number	Thickness @ palm (Single Wall)		Weight/Pieces Grams	Length (minimum) (mm)	Width (+/- 5) (mm)
		mm	mil			
Small	5000077	≥ 0.18	≥ 7.5	9.4 ± 0.2	230	70
Medium	5000078	≥ 0.18	≥ 7.5	9.9 ± 0.2	230	80
Large	5000079	≥ 0.18	≥ 7.5	10.4 ± 0.2	230	95
X-Large	5000080	≥ 0.18	≥ 7.5	10.9 ± 0.2	230	110
2X-Large	5000081	≥ 0.18	≥ 7.5	11.4 ± 0.2	230	120

PHYSICAL PROPERTIES			
Property	Unit of Measure	Physical Requirement	Test Method
Tensile Strength	Mpa	>18	ASTM D412
Elongation at Break	%	>650	

PACKING METHOD	
Quantity of Retail Packs	100 pieces in inner box, 10 inner box per carton; 90 pieces in XXL box

**Revision History**

Revision	Date	Reason for Change
BX10	2/18/2021	Specification Created